

MISSION COVERAGE INDEX 25X1A


MISSION 3088 3 OCTOBER 1964
MISSION 2176 4 OCTOBER 1964
MISSION 2177 AND 2183 5 OCTOBER 1964

25X1A





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



Approved For Release 2000/94/17: CIA-RDP78B04560A004100010004-9

SECRET

GROUP 1
Excluded from automatic
downgroding and declassification

SECRET .

NPIC/R-1534/64

PREFACE

25X1A

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF MISSIONS 3088 DATED 3 OCTOBER 1964, 2176 DATED 4 OCTOBER 1964, AND 2177 AND 2183 DATED 5 OCTOBER 1964 COVERING LADS.

ITEMS ARE ARRANGED IN THREE SECTIONS —

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION.

THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE.

MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH SECTION ARE ARRANGED

1) ACCORDING TO SUBJECT, 2) WITHIN THE SUBJECT
BY WAC AREA, AND 3) WITHIN THE WAC AREA BY
GEOGRAPHIC COORDINATES IN ASCENDING ORDER.
AN EXPLANATION OF COLUMN HEADINGS AND PHOTO

The Post of the Section 1997 and the Section 1997 a

SECRET NPIC/R-1534/64

REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L509, SCALE 1/250,000 AND L004, 1/50,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

SECTION I THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVI-OUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

	Target			NPIC/R-1534,		
		Coordinates	WAC		Numbers	
				BE	NPIC	
•	-L AOS-					
	AIR INSTALLATIONS					
	BAN HOUEI SANE AIRFIELD NE EDGE OF BAN HOUEI SANE AT UTM 1,500 X 75 FT E/W GRADED EARTH RUNWAY, PROBABLY UNSERVICEABLE. PREVIOUSLY REPORTED DERELICT AIRCRAFT NOT OBSERVED. AIRCRAFT — NONE OBSERVED. COMOR TARGET NO 25X1A	1636N 1Ø633E	Ø617	25X1A	217-A	
25X1D	MILITARY INSTALLATIONS					
	!					
	BAN HOUEI SANE, MILITARY AREAS THREE MILITARY AREAS IN BAN HOUEI SANE VICINITY (REFERENCED FROM BAN HOUEI SANE.)	1636N 10632E	Ø617		217.	
	AREA A (ON NE EDGE AT UTM 7 BARRACKS-TYPE BUILDINGS, ONE ADMINISTRATION BUILDING/MESS HALL, AND 10 SUPPORT BUILDINGS. NO EVIDENCE OF SECURITY OBSERVED.				21 S	
	AREA B (1,500 FT NW AT UTM CIRCULAR ENTRENCHED AREA CONTAINS AT LEAST 12 SMALL BUILDINGS/HUTS. TREE COVER PRECLUDES ACCURATE COUNT.				:	
5X1D	AREA C (1.5 NM SW AT UTM CIRCULAR ENTRENCHED AREA CONTAINS NUMEROUS SMALL HUTS/SHELTERS.					
~`` <u>'</u>						
	Approved For Release 2000/04/17 : CIA-RD	P78B04560A004100	010004-	9		
	- Tr		3		FCDET	

NPIC/R-1534/64

		WAC	Target Numbers		
Target	Coordinates	WAC	BE	NPIC	
BAN NHOMMARATH KEO AREA, AAA/AW POSITIONS 2 NM SOUTH OF BAN NHOMMARATH KEO AT UTM 25X1D TWO UNOCCUPIED LIGHT AAA/AW POSITIONS WITH	1734N: 1Ø51ØE:	Ø617		365-C	
13 BUILDINGS AND SHEDS OF VARIOUS SIZES AND ONE DESTROYED BUILDING IN THE IMMEDIATE AREA. 25X1D		·			
BAN BOUNG BAU AREA, MILITARY AREAS THREE MILITARY AREAS IN BAN BOUNG BAU AREA (REFERENCED FROM BAN BOUNG BAU.) 25X1D AREA A (Ø.3 NM WNW AT UTM 4 BARRACKS-TYPE BUILDINGS AND 5 SUPPORT BUILDINGS. 25X1D AREA B (Ø.8 NM WSW AT UTM 14 STORAGE-TYPE BUILDINGS AND EXTENSIVE TRACK	1734N 10514E	Ø617		369	
ACTIVITY. AREA C (0.6 NM SE AT UTM 9 UNIDENTIFIED BUILDINGS IN A WOODED AREA. COMOR TARGET NO 25X1A					
BAN NHOMMARATH KEO AREA, AAA SITE 2 NM NNW OF BAN NHOMMARATH KEO AT UTM 25X1D ONE UNOCCUPIED 6-GUN LIGHT AAA SITE OBSERVED. CAMOUFLAGED 5-GUN AAA SITE REPORTED IN FIELD IPIR NO. 41, 6 OCT 64, IS APPARENTLY A LOW CLUSTER OF VEGETATION RATHER THAN AN AAA SITE.	1738N 1Ø51ØE	Ø617		365-B	
Approved For Release 2000/04/17 : CIA-F	RDP78B04560A0041	0001000	4-9	<u> </u>	

NPIC/R-1534/64

Z5X1D MISCELLANEOUS ROUTE 8 SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.	Coordinates	WAC	BE	NPIC
MISCELLANEOUS ROUTE 8 SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.				
MISCELLANEOUS ROUTE 8 SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.				
ROUTE 8 SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.				
ROUTE 8 SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.		-		
ROUTE 8 SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.				
ROUTE 8 SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.				
SINGLE-LANE, NATURAL SURFACE, GOOD-WEATHER ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.		-		
ROAD OBSERVED FROM 17-32N 105-10E TO 17-43N 105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.		-		
105-08E, FROM 17-47N 105-05E TO 17-52N 105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.				
105-03E, AND FROM 18-14N 105-01E TO 18-21N 105-08E. NO VEHICLES OBSERVED.				
105-08E. NO VEHICLES OBSERVED.				
X1D				
				İ
		ı		
I DOUTE O				
ROUTE 9 SINGLE-LANE, NATURAL SURFACE, FAIR-WEATHER,	İ			
APPARENTLY TRAFFICABLE ROAD WITH NUMEROUS		ĺ		
WATER-FILLED POTHOLES AND RUTS OBSERVED FROM				
16-40N 106-17E TO 16-38N 106-26E, FROM 16-32N				
105-59E TO 16-33N 106-03E, AND FROM 16-40N 106-14E TO 16-37N 106-33E.				
A SMALL WOODEN DECK-TYPE BRIDGE APPARENTLY				
WASHED OUT AT UTM 25X1D				
NO VEHICLES OBSERVED.				
1D				
Approved For Release 2000/04/17 : CIA-RDP	7900456040044	0001000	4-9	

NPIC/R-1534/64

	Target	Coordinates	WAC	Target	Numbers
	131351	Coordinates	"AC	BE	NPIC
(1 D	ROUTE 12 SEGMENTS OF ROUTE 12 OBSERVED FROM JUNCTION OF ROUTES 12 AND 8, AT 17-33N 105-10E, TO BAN KHOUAN PHO AT 17-30N 105-26E. ROAD IS SINGLE-LANE, NATURAL SURFACE, LIMITED ALL-WEATHER IN FAIR CONDITION. NO VEHICLES OBSERVED.				
-	Approved For Release 2000/04/17 : CIA-R	7P78R045604004	10001000	1_0	

SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

NDIC	/R-1	534/64

SECRET		WAC	Target	
Target	Coordinates	WAC	BE	NPIC
-LAOS- AIR-INSTALLATIONS				
BAN SI NHO AIRFIELD	1748N 1Ø5Ø5E	Ø617 ·	25X1A	399-1
NAPE AIREIELD	1818N 10505E	Ø617		118
MILITARY INSTALLATIONS	1736N 10509E	Ø617		365
BAN NHOMMARATH KEO, MILITARY AREA COMOR TARGET NO 25X1A				
Approved For Release 2000/04/17 :				

.... од-кы товичэьидии4100010004-9

SECTION III

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED .

NPIC/R-1534/64

		WAC	Target Numbers	
Target	Coordinates	WAC	BE	NPIC
2004				
-LAOS-				
MILITARY INSTALLATIONS				
MUONG PHINE POSSIBLE MAINTENANCE AREA	1632N 10601E	Ø617 ·		192-0
10				
MUONG PHINE MILITARY AREAS	1632N 10602E	Ø617		192
COMOR TARGET NO 25X1A				
1D				
BASIC SERVICES				
	14204 144425	Ø617		192-0
JUNCTION OF ROUTES 9 AND 23	1632N 10602E	DOLL		192-0
Approved For Release 2000/04/17 :				

SECRET

APPENDIX

COLUMN HEADINGS

<u>City</u>, <u>Installation</u>--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).